IBX xCBL 3.5 AdvanceShipmentNotice Specification (Draft version)

Document Owner: Christian Druschke

Product Management

November 2013

Company Public Information

People matter, results count.

Table of Contents

1 Introduction 2

2 Purpose 2

3 Schema Validation 2

4 Cardinality 3

5 AdvanceShipmentNotice 4

5.1 ASN References 4

5.1.1 Referencing the Original Order 4

5.1.2 ShipmentIdentifier 4

5.1.3 Bill Of Lading 4

5.1.4 TrackingInformation 4

5.1.5 Serial Number 5

6 Example 5

The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

1 Introduction

Integrated trading partners can send/receive electronic AdvanceShipmentNotice documents to/from the IBX Connect transaction platform.

The IBX Platform's standard format of electronic AdvanceShipmentNotice documents is xCBL 3.5 – the standard SOAP envelope version is SOAP 1.2.

The IBX Connect platform has implemented the xCBL 3.5 standard as its canonical format and theoretically supports the full spectrum of the xCBL 3.5 AdvanceShipmentNotice schema.

However the IBX Platform applications and business processes do not support all possible elements of the xCBL 3.5 format.

2 Purpose

The purpose of this document is to provide details about the recommended use of the AdvanceShipmentNotice document for xCBL 3.5.

The documentation of the IBX xCBL 3.5 AdvanceShipmentNotice document would be incomplete without a structured spreadsheet listing the complete structure of an xCBL 3.5 AdvanceShipmentNotice according to the official standard. Additionally it contains information about the fields' cardinality (whether they are mandatory or optional and how often they can occur in one AdvanceShipmentNotice document).

Customer specific appendices may describe the final recipient's demands for xCBL 3.5 AdvanceShipmentNotice which can result in normally optional elements becoming mandatory due to trading partner business requirements.

3 Schema Validation

Any xCBL 3.5 AdvanceShipmentNotice sent to IBX Connect must be valid according to the global xCBL 3.5 schema for AdvanceShipmentNotices. Documents which do not comply with the standard xCBL 3.5 specification (see http://www.xcbl.org) will automatically be rejected by the IBX Connect platform.

The official xCBL 3.5 AdvanceShipmentNotice schema can be downloaded from the xcbl.org website as

- SOX Schema version: http://www.xcbl.org/xcbl35/sox/schemas.shtml
- XSDL Schema version: http://www.xcbl.org/xcbl35/xsd/schemas.shtml
- XDR Schema version: http://www.xcbl.org/xcbl35/xdr/schemas.shtml

The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

- XML DTD Version: http://www.xcbl.org/xcbl35/dtd/schemas.shtml

In case of inbound validation failures IBX Connect will respond synchronously with a HTTP 400 response code back to the sender's server.

4 Cardinality

A valid xCBL 3.5 AdvanceShipmentNotice can be quite poor, containing only the absolutely necessary – or mandatory – elements which are:

- AdvanceShipmentNotice including
  - ASNHeader
  - ASNNumber
  - ASNIssueDate
  - ASNOrderNumber
  - ASNPurpose
  - ASNParty
  - BuyerPartyID
  - SellerPartyID

However – both IBX Business Network applications and implemented business processes as well as customers require more than this. Thus the requirements for an electronic AdvanceShipmentNotice to be valid according to not only a standard schema but also in line with a set of business rules agreed between trading partners are stricter.

The structured spreadsheet contains a column stating the cardinality of each element.

xCBL 3.5 cardinality:

Legend symbol	Meaning
0..1	Optional. Can appear 0 or 1 times
0..n	Optional. Can appear 0 to n times
1..1	Mandatory. Must appear once and only once
1..n	Mandatory. Can appear 1 to n times

The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

5 AdvanceShipmentNotice

The xCBL 3.5 AdvanceShipmentNotice document can be used to send delivery information to an Order document. The shipment can be for planning or serve as a notice of a shipment in progress. Therefore it is not necessary for a supplier to provide a preliminary notice of shipment, nor is it necessary for a supplier to send an actual note of shipment. Actual tracking of freight will initially be handled by the shipper directly and not via the ASN.

5.1 ASN References

The ASNReferences element defines the references for the ASN.

5.1.1 Referencing the Original Order

The AdvanceShipmentNotice must correctly reference the original order it is responding to. This is done using the AdvanceShipmentNotice/ASNHeader/ASNOrderNumber/BuyerOrderNumber. This is the only acceptable means of referencing the document(s) that the AdvanceShipmentNotice is referring to.

5.1.2 ShipmentIdentifier

The ShipmentIdentifier contains the shipper's unique identification number for identifying the shipment.

xPath on header level:

/AdvanceShipmentNotice/ASNHeader/ASNReferences/ShipmentIdentifier

xPath on item level:
/ASNItemDetail/ASNBaseItemDetail/ASNLineItemReferences/ASNReferences/OtherASNReferences/ListOfReferenceCoded[ReferenceTypeCoded="SerialNumber"]/ReferenceCoded/PrimaryReference/RefNum

5.1.3 Bill Of Lading

The BillOfLadingNumber holds the bill of lading number for the invoice.

XPath: /AdvanceShipmentNotice/ASNHeader/ASNReferences/BillOfLadingNumber/Reference/RefNum

5.1.4 TrackingInformation

The TrackingInformation element contains the information to allow tracking of the ASN. The tracking information should be provided for each item but can additionally be provided on header level.

- TrackingNumber contains the reference for tracking purposes.
- TrackingCallURL contains the tracking URL.

The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

xPath on heder level:
/AdvanceShipmentNotice/ASNHeader/ASNReferences/TrackingInformation/TrackingNumber/Reference/RefNum and /AdvanceShipmentNotice/ASNHeader/ASNReferences/TrackingInformation/TrackingCallURL

xPath on item level:
/AdvanceShipmentNotice/ASNItemDetail/ASNBaseItemDetail/ASNLineItemReferences/ASNReferences/TrackingInformation/TrackingNumber/Reference/RefNum and /AdvanceShipmentNotice/ASNItemDetail/ASNBaseItemDetail/ASNLineItemReferences/ASNReferences/TrackingInformation/TrackingCallURL

5.1.5 Serial Number

On item level a serial number can be provided in xPath:
/ASNItemDetail/ASNBaseItemDetail/ASNLineItemReferences/ASNReferences/OtherASNReferences/ListOfReferenceCoded[ReferenceTypeCoded="SerialNumber"]/ReferenceCoded/PrimaryReference/RefNum

6 Example


```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://www.w3.org/2003/05/soap-envelope" xmlns:nseps="urn:schemas-IBX:/docs/endpoint.nsendpoint"
xmlns:nsfst="urn:schemas-IBX:/docs/manifest.nsmanifest" xmlns:nsproc="urn:schemas-IBX:/docs/process.nsprocess" xmlns:nsprop="urn:schemas-
IBX:/docs/property.nsproperty">
<SOAP-ENV:Header>
<nseps:endpoints SOAP-ENV:mustUnderstand="true">
<nseps:to>
<nseps:address>receiverID</nseps:address>
</nseps:to>
<nseps:from>
<nseps:address>senderID</nseps:address>
</nseps:from>
</nseps:endpoints>
<nsprop:properties SOAP-ENV:mustUnderstand="true">
<nsprop:identity>documentID</nsprop:identity>
<nsprop:sentAt>2001-12-17T09:30:47.0Z</nsprop:sentAt>
<nsprop:expiresAt>2001-12-17T09:30:47.0Z</nsprop:expiresAt>
<nsprop:topic>AdvanceShipmentNotice</nsprop:topic>
</nsprop:properties>
<nsproc:process SOAP-ENV:mustUnderstand="true">
<nsproc:correlationid>String</nsproc:correlationid>
<nsproc:relatedDocid>String</nsproc:relatedDocid>
</nsproc:process>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
<AdvanceShipmentNotice xmlns="rrn:org.xcbl:schemas/xcbl/v3_5/xcbl35.xsd">
<ASNHeader>
<ASNNumber>
<Reference>
<RefNum>ASN_1234567890</RefNum>
</Reference>
</ASNNumber>
<ASNIssueDate>20130321T16:12:38+02:00</ASNIssueDate>
<ASNOrderNumber>
<BuyerOrderNumber>Order_1234567890</BuyerOrderNumber>
</ASNOrderNumber>
<ASNReferences>
<ShipmentIdentifier>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

```
<Reference>
        <RefNum>3f299001</RefNum>
</Reference>
</ShipmentIdentifier>
<BillOfLadingNumber>
<Reference>
        <RefNum>123456</RefNum>
</Reference>
</BillOfLadingNumber>
<TrackingInformation>
<TrackingNumber>
        <Reference>
                <RefNum>12345567</RefNum>
        </Reference>
</TrackingNumber>
<TrackingCallURL>http://www.dhl.com</TrackingCallURL>
</TrackingInformation>
</ASNReferences>
<ASNPurpose>
<ASNPurposeCoded>Original</ASNPurposeCoded>
</ASNPurpose>
<ASNType>
<ASNTypeCoded>Actual</ASNTypeCoded>
</ASNType>
<ASNStatus>
<ASNStatusCoded>CompleteOrder</ASNStatusCoded>
</ASNStatus>
<ASNDates>
<DeliveryDate>20130204T00:00:00+02:00</DeliveryDate>
<ShippedDate>20130321T16:12:38+02:00</ShippedDate>
<EarliestDeliveryDate>20130321T16:12:38+02:00</EarliestDeliveryDate>
<LatestDeliveryDate>20130321T16:12:38+02:00</LatestDeliveryDate>
</ASNDates>
<ASNParty>
<OrderParty>
<BuyerParty>
        <Party>
                <PartyID>
                        <Identifier>
                                <Agency>
                                        <AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                                </Agency>
                                <Ident>1619</Ident>
                        </Identifier>
                </PartyID>
                <ListOfIdentifier>
                        <Identifier>
                                <Agency>
                                        <AgencyCoded>Other</AgencyCoded>
                                        <AgencyCodedOther>CompanyCode</AgencyCodedOther>
                                </Agency>
                                <Ident>1234</Ident>
                        </Identifier>
                </ListOfIdentifier>
                <NameAddress>
                        <Name1>BuyerName1</Name1>
                        <Name2>BuyerName2</Name2>
                        <Street>BuyerStreet 12</Street>
                        <PostalCode>12345</PostalCode>
                        <City>BuyerCity</City>
                        <Country>
                                <CountryCoded>SE</CountryCoded>
                        </Country>
                </NameAddress>
                <OrderContact>
                        <!--Requisitioner-->
                        <Contact>
                                <ContactID>
                                        <Identifier>
                                                <Agency>
                                                        <AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                                                </Agency>
                                                <Ident>RequisitionerID</Ident>
                                        </Identifier>
                                </ContactID>
                                <ContactName>RequisitionerName</ContactName>
                                <ListOfContactNumber>
                                        <ContactNumber>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

```
                                        <ContactNumberValue>+46081234567</ContactNumberValue>
                                        <ContactNumberTypeCoded>TelephoneNumber</ContactNumberTypeCoded>
                                    </ContactNumber>
                                    <ContactNumber>
                                        <ContactNumberValue>PurchasingProfessional@buyer.com</ContactNumberValue>
                                        <ContactNumberTypeCoded>EmailAddress</ContactNumberTypeCoded>
                                    </ContactNumber>
                                </ListOfContactNumber>
                            </Contact>
                        </OrderContact>
                        <OtherContacts>
                            <ListOfContact>
                                <Contact>
                                    <!--PurchasingGroup-->
                                    <ContactID>
                                        <Identifier>
                                            <Agency>

<AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                                            </Agency>
                                            <Ident>PurchasingGroupID</Ident>
                                        </Identifier>
                                    </ContactID>
                                    <ContactName>PurchasingGroupName</ContactName>
                                    <ContactFunction>
                                        <ContactFunctionCoded>Other</ContactFunctionCoded>
                                        <ContactFunctionCodedOther>PurchasingGroup</ContactFunctionCodedOther>
                                    </ContactFunction>
                                    <ListOfContactNumber>
                                        <ContactNumber>

<ContactNumberValue>PurchasingGroup@buyer.com</ContactNumberValue>
                                            <ContactNumberTypeCoded>EmailAddress</ContactNumberTypeCoded>
                                        </ContactNumber>
                                        <ContactNumber>
                                            <ContactNumberValue>+4681234567</ContactNumberValue>

<ContactNumberTypeCoded>TelephoneNumber</ContactNumberTypeCoded>
                                        </ContactNumber>
                                    </ListOfContactNumber>
                                </Contact>
                                <Contact>
                                    <!--PurchasingProfessional-->
                                    <ContactID>
                                        <Identifier>
                                            <Agency>

<AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                                            </Agency>
                                            <Ident>PurchasingProfessionalID</Ident>
                                        </Identifier>
                                    </ContactID>
                                    <ContactName>PurchasingProfessionalName</ContactName>
                                    <ContactFunction>
                                        <ContactFunctionCoded>Other</ContactFunctionCoded>
                                        <ContactFunctionCodedOther>PurchasingProfessional</ContactFunctionCodedOther>
                                    </ContactFunction>
                                    <ListOfContactNumber>
                                        <ContactNumber>

<ContactNumberValue>PurchasingProfessional@buyer.com</ContactNumberValue>
                                            <ContactNumberTypeCoded>EmailAddress</ContactNumberTypeCoded>
                                        </ContactNumber>
                                        <ContactNumber>
                                            <ContactNumberValue>+4681234567</ContactNumberValue>

<ContactNumberTypeCoded>TelephoneNumber</ContactNumberTypeCoded>
                                        </ContactNumber>
                                    </ListOfContactNumber>
                                </Contact>
                            </ListOfContact>
                        </OtherContacts>
                    </Party>
                </BuyerParty>
                <SellerParty>
                    <Party>
                        <PartyID>
                            <Identifier>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

```
                    <Agency>
                        <AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                    </Agency>
                    <Ident>VendorID</Ident>
                </Identifier>
            </PartyID>
            <NameAddress>
                <Name1>SellerName1</Name1>
                <Street>SellerStreet 12</Street>
                <PostalCode>12345</PostalCode>
                <City>SellerCity</City>
                <Country>
                    <CountryCoded>SE</CountryCoded>
                </Country>
            </NameAddress>
            <OrderContact>
                <Contact>
                    <ContactName>SellerOrderContactName</ContactName>
                    <ListOfContactNumber>
                        <ContactNumber>
                            <ContactNumberValue>+4681234567</ContactNumberValue>
                            <ContactNumberTypeCoded>TelephoneNumber</ContactNumberTypeCoded>
                        </ContactNumber>
                        <ContactNumber>
                            <ContactNumberValue>SellerOrderContact@seller.com</ContactNumberValue>
                            <ContactNumberTypeCoded>EmailAddress</ContactNumberTypeCoded>
                        </ContactNumber>
                        <ContactNumber>
                            <ContactNumberValue>+4681234567</ContactNumberValue>
                            <ContactNumberTypeCoded>FaxNumber</ContactNumberTypeCoded>
                        </ContactNumber>
                    </ListOfContactNumber>
                </Contact>
            </OrderContact>
        </Party>
    </SellerParty>
    <ShipToParty>
        <Party>
            <PartyID>
                <Identifier>
                    <Agency>
                        <AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                    </Agency>
                    <Ident>8628</Ident>
                </Identifier>
            </PartyID>
            <NameAddress>
                <Name1>ShipToName1</Name1>
                <Name2>ShipToName2</Name2>
                <Street>ShipToStreet 12</Street>
                <PostalCode>12345</PostalCode>
                <City>ShipToCity</City>
                <Country>
                    <CountryCoded>SE</CountryCoded>
                </Country>
            </NameAddress>
            <OrderContact>
                <Contact>
                    <!--GoodsReceiver-->
                    <ContactID>
                        <Identifier>
                            <Agency>
                                <AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                            </Agency>
                            <Ident>GoodsReceiverID</Ident>
                        </Identifier>
                    </ContactID>
                    <ContactName>GoodsReceiverName</ContactName>
                    <ListOfContactNumber>
                        <ContactNumber>
                            <ContactNumberValue>+46081234567</ContactNumberValue>
                            <ContactNumberTypeCoded>TelephoneNumber</ContactNumberTypeCoded>
                        </ContactNumber>
                        <ContactNumber>
                            <ContactNumberValue>GoodsReceiver@buyer.com</ContactNumberValue>
                            <ContactNumberTypeCoded>EmailAddress</ContactNumberTypeCoded>
                        </ContactNumber>
                    </ListOfContactNumber>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

```
                    </Contact>
                </OrderContact>
        </Party>
</ShipToParty>
<BillToParty>
        <Party>
                <PartyID>
                    <Identifier>
                        <Agency>
                            <AgencyCoded>AssignedByBuyerOrBuyersAgent</AgencyCoded>
                        </Agency>
                        <Ident>1619</Ident>
                    </Identifier>
                </PartyID>
                <NameAddress>
                    <Name1>BillToName1</Name1>
                    <Name2>BillToName2</Name2>
                    <Street>BillToStreet 12</Street>
                    <PostalCode>12345</PostalCode>
                    <City>BillToCity</City>
                    <Country>
                        <CountryCoded>SE</CountryCoded>
                    </Country>
                </NameAddress>
                <OrderContact>
                    <!--BillingContact-->
                    <Contact>
                        <ContactName>BillingContactName</ContactName>
                        <ListOfContactNumber>
                            <ContactNumber>
                                <ContactNumberValue>+46081234567</ContactNumberValue>
                                <ContactNumberTypeCoded>TelephoneNumber</ContactNumberTypeCoded>
                            </ContactNumber>
                            <ContactNumber>
                                <ContactNumberValue>BillingContact@buyer.com</ContactNumberValue>
                                <ContactNumberTypeCoded>EmailAddress</ContactNumberTypeCoded>
                            </ContactNumber>
                        </ListOfContactNumber>
                    </Contact>
                </OrderContact>
        </Party>
</BillToParty>
<ListOfPartyCoded>
        <PartyCoded>
                <PartyID>
                    <Identifier>
                        <Agency>
                            <AgencyCoded>AssignedBySellerOrSellersAgent</AgencyCoded>
                        </Agency>
                        <Ident>N/A</Ident>
                    </Identifier>
                </PartyID>
                <NameAddress>
                    <Name1>carrier name</Name1>
                </NameAddress>
                <PartyRoleCoded>Carrier</PartyRoleCoded>
        </PartyCoded>
</ListOfPartyCoded>
</OrderParty>
</ASNParty>
<ASNTermsOfDelivery>
<TermsOfDelivery>
<TermsOfDeliveryFunctionCoded>Other</TermsOfDeliveryFunctionCoded>
<TermsOfDeliveryFunctionCodedOther>Delivered, duty paid</TermsOfDeliveryFunctionCodedOther>
<ShipmentMethodOfPaymentCoded>Other</ShipmentMethodOfPaymentCoded>
<ShipmentMethodOfPaymentCodedOther>Delivered, duty paid</ShipmentMethodOfPaymentCodedOther>
</TermsOfDelivery>
</ASNTermsOfDelivery>
<ASNHeaderNote>test customer comment</ASNHeaderNote>
</ASNHeader>
<ASNDetail>
<ListOfASNItemDetail>
<ASNItemDetail>
<ASNBaseItemDetail>
        <LineItemNum>
                <BuyerLineItemNum>1</BuyerLineItemNum>
        </LineItemNum>
        <ItemIdentifiers>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

```
                <PartNumbers>
                        <SellerPartNumber>
                                <PartNum>
                                        <PartID>3335826</PartID>
                                </PartNum>
                        </SellerPartNumber>
                        <ManufacturerPartNumber>
                                <PartID>2812414</PartID>
                        </ManufacturerPartNumber>
                        <OtherItemIdentifiers>
                                <ListOfProductIdentifierCoded>
                                        <ProductIdentifierCoded>

        <ProductIdentifierQualifierCoded>BuyersInternalProductGroupCode</ProductIdentifierQualifierCoded>
                                                <ProductIdentifier>44121708</ProductIdentifier>
                                        </ProductIdentifierCoded>
                                </ListOfProductIdentifierCoded>
                        </OtherItemIdentifiers>
                </PartNumbers>
                <ItemDescription>Lyreco Letter Tray Blue</ItemDescription>
                <CommodityCode>
                        <Identifier>
                                <Agency>
                                        <AgencyCoded>US-UN-SPSC</AgencyCoded>
                                </Agency>
                                <Ident>44121708</Ident>
                        </Identifier>
                </CommodityCode>
        </ItemIdentifiers>
        <TotalQuantity>
                <Quantity>
                        <QuantityValue>10.00</QuantityValue>
                        <UnitOfMeasurement>
                                <UOMCoded>EA</UOMCoded>
                        </UnitOfMeasurement>
                </Quantity>
        </TotalQuantity>
        <DetailResponseCoded>ItemAcceptedAndShipped</DetailResponseCoded>
        <ASNLineItemReferences>
                <ASNReferences>
                        <TrackingInformation>
                                <TrackingNumber>
                                        <Reference>
                                                <RefNum>1234567</RefNum>
                                        </Reference>
                                </TrackingNumber>
                                <TrackingCallURL>http://www.dhl.com</TrackingCallURL>
                        </TrackingInformation>
                        <OtherASNReferences>
                                <ListOfReferenceCoded>
                                        <ReferenceCoded>
                                                <ReferenceTypeCoded>SerialNumber</ReferenceTypeCoded>
                                                <PrimaryReference>
                                                        <Reference>
                                                                <RefNum>12345</RefNum>
                                                        </Reference>
                                                </PrimaryReference>
                                        </ReferenceCoded>
                                </ListOfReferenceCoded>
                        </OtherASNReferences>
                </ASNReferences>
        </ASNLineItemReferences>
        <ShipByDate>20130321T16:12:38+02:00</ShipByDate>
</ASNBaseItemDetail>
</ASNItemDetail>
<ASNItemDetail>
<ASNBaseItemDetail>
        <LineItemNum>
                <BuyerLineItemNum>2</BuyerLineItemNum>
        </LineItemNum>
        <ItemIdentifiers>
                <PartNumbers>
                        <SellerPartNumber>
                                <PartNum>
                                        <PartID>1490112</PartID>
                                </PartNum>
                        </SellerPartNumber>
                        <ManufacturerPartNumber>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.

```
                    <PartID>1490112</PartID>
                </ManufacturerPartNumber>
                <OtherItemIdentifiers>
                    <ListOfProductIdentifierCoded>
                        <ProductIdentifierCoded>

<ProductIdentifierQualifierCoded>BuyersInternalProductGroupCode</ProductIdentifierQualifierCoded>
                            <ProductIdentifier>40101830</ProductIdentifier>
                        </ProductIdentifierCoded>
                    </ListOfProductIdentifierCoded>
                </OtherItemIdentifiers>
            </PartNumbers>
            <ItemDescription>Cash Box 300 x 200 x 90mm Large Black</ItemDescription>
            <CommodityCode>
                <Identifier>
                    <Agency>
                        <AgencyCoded>US-UN-SPSC</AgencyCoded>
                    </Agency>
                    <Ident>40101830</Ident>
                </Identifier>
            </CommodityCode>
        </ItemIdentifiers>
        <TotalQuantity>
            <Quantity>
                <QuantityValue>10.00</QuantityValue>
                <UnitOfMeasurement>
                    <UOMCoded>EA</UOMCoded>
                </UnitOfMeasurement>
            </Quantity>
        </TotalQuantity>
        <DetailResponseCoded>ItemAcceptedAndShipped</DetailResponseCoded>
        <ASNLineItemReferences>
            <ASNReferences>
                <TrackingInformation>
                    <TrackingNumber>
                        <Reference>
                            <RefNum>1234567</RefNum>
                        </Reference>
                    </TrackingNumber>
                    <TrackingCallURL>http://www.dhl.com</TrackingCallURL>
                </TrackingInformation>
                <OtherASNReferences>
                    <ListOfReferenceCoded>
                        <ReferenceCoded>
                            <ReferenceTypeCoded>SerialNumber</ReferenceTypeCoded>
                            <PrimaryReference>
                                <Reference>
                                    <RefNum>12346</RefNum>
                                </Reference>
                            </PrimaryReference>
                        </ReferenceCoded>
                    </ListOfReferenceCoded>
                </OtherASNReferences>
            </ASNReferences>
        </ASNLineItemReferences>
        <ShipByDate>20130321T16:12:38+02:00</ShipByDate>
</ASNBaseItemDetail>
</ASNItemDetail>
</ListOfASNItemDetail>
</ASNDetail>
</AdvanceShipmentNotice>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```


The information contained in this document is proprietary. Copyright © 2012 Capgemini. All rights reserved.